



VIIRS NCC Imagery at Beta

CCR 12-0683

DR 4859

Dr. Thomas Kopp – Imagery Validation Lead

Dr. Donald Hilger – Imagery Product Lead

Mr. Ryan Williams - Imagery JAM





Brief summary of NCC Imagery




- The NCC Imagery EDR takes VIIRS DNB SDRs and transfers the appropriate values on as Ground Track Mercator (GTM) projection
- GTM uses the nearest pixel, it does not use an average unless an isolated pixel has a bad value
- Creating NCC Imagery includes two additional steps not taken for any other imagery product
 - It computes an albedo for each pixel
 - It mitigates solar/lunar variations across scan lines through the use of Look-Up Tables (LUTs)



Typical Terminator NCC Image



- Image is extreme northern Canada
 - Transition from light to dark not obvious





NCC Imagery Requirements



- Current requirements based on the Level 1 Requirements Document (L1RD) are restricted to resolution, mapping accuracy, and latency
 - Quality requirements found in the old NPOESS program are no longer present
- Actually use of NCC Imagery tied to ability of a human analyst to determine his/her features of interest through Imagery
 - If the operational user is not satisfied, the Imagery EDR has failed, independent of any quantitative requirements
- The Imagery validation team has focused on the later in the early stages of validation



General Guidelines




- The two fundamental features the Imagery Cal/Val team focused on for NCC Imagery at this stage was its performance in the terminator and under lunar illumination conditions
 - The terminator is where the LUTs have their greatest impact
 - Nighttime visual imagery is unique to the NCC product
- Other aspects were deferred to the SDR team
 - Quantitative validation of resolution and latency handled by other teams
 - Geolocation qualitatively addressed at this time
 - Earlier issues have been resolved



Beta Definition



- Early release product
- Initial calibration applied
- Minimally validated and may still contain significant errors
- Available to allow users to gain familiarity with data formats and parameters
- Product is not appropriate as the basis for quantitative scientific publication studies and applications



Beta Evaluation



- Early release product
 - NCC Imagery has not been extensively analyzed by operational users
 - Imagery is not available to real-time users on a timely basis
 - Neither NDE or AFWA can make Imagery available to their general set of customers in near real time as of this briefing
 - Only the Navy is regularly reviewing the product in a near real time environment
 - NCC only useful at night within 48 hours of the full moon
 - Therefore only 5 nights out of the 29 day lunar cycle
- Initial calibration of the DNB is complete
 - VIIRS DNB SDRs declared “beta” in May 2012
 - No software changes have yet been made to the NCC Imagery EDR



Beta Evaluation



- Minimally validated and may still contain significant errors
 - Significant errors have been identified and are documented as Discrepancy Reports
 - Fill values in the shape of triangles at corners of the Imagery
 - This issue is related to the ground system and has already been mitigated
 - Stray light evident on the dark side of the terminator
 - Dark pixels contain fill indicating albedos are out-of-bounds
 - Missing data exists in granules crossing the 105 solar angle boundary
 - Examples of the three issues in work follow



Stray Light



- Root cause is sunlight shining into the sensor
- Work in progress to mitigate through software






Fill in Very Dark Pixels



- Root cause unknown, likely from multiple causes
 - Number of pixels affected increase as lunar illumination decreases






No NCC Imagery at 105 Solar Angle



- Root cause unknown
 - Speculation is an adverse effect from a granule level flag indicating the entire granule is “day”



Diagonal follows the
105 solar angle



Beta Evaluation



- Available to allow users to gain familiarity with data formats and parameters
 - NCC Imagery may be retrieved through CLASS or GRAVITE
 - Both NDE and AFWA working towards real-time support
 - AFWA is shipping NCC Imagery to NRL-Monterey in near real time
 - Some of this Imagery appears on their NexSat web site
- Product is not appropriate as the basis for quantitative scientific publication studies and applications
 - NCC Imagery, in general, does not contain quantitative applications
 - VIIRS DNB SDRs only at beta stage
 - Also note the issues just shown



Conclusion



- NCC Imagery has met the beta stage based on the definitions and the evidence shown
 - It exceeds the definition of beta in some cases
- Remaining issues are known and at least a preliminary way ahead has been established
 - Each of the four identified issues has been mitigated or is actively being resolved
- NCC imagery has reached the beta stage of validation